

**.COUVERTURE MEDICALE NATIONALE D'HAITI
COMENAH**

Rue Monseigneur Guilloux # 556

Port-au-Prince, Code 28

Tel (509)3755-0244

Web: www.comenah.com/www.comenah.org/e-mail:info@comenah.org/.com



MOBILE CLINICS

**TABLEAU SUMMARY OF CASES OF MALARIA, TYPHOID AND DECAYED TEETH DIAGNOSED IN
SOME RURAL SECTIONS AND COMMUNITIES OF HAITI**

BAINET 2003-2004

NUMBER OF PEOPLE SEEN MEDICALLY: 3873

CITY BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 429

MALARIA	TYPHOID	Decayed Teeth
408 ou 95.10%	302 ou 70.39%	223 ou 51.98%

RURAL SECTION CHAUMEIL 9th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 473

MALARIA	TYPHOID	Decayed Teeth
390 ou 82.45%	234 ou 49.47%	310 ou 65.534%

RURAL SECTION DAMAS 8th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 322

MALARIA	TYPHOID	Decayed Teeth
223 ou 69.25%	200 ou 62.11%	221 ou 68.63 %

RURAL SECTION PHILIPPE 7th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 574

MALARIA	TYPHOID	Decayed Teeth
357 ou 62.19 %	280 ou 48.78 %	277 ou 48.25%

RURAL SECTION CAPEINE 6th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 574

MALARIA	TYPHOID	Decayed Teeth
294 ou 51.21 %	250 ou 43.55 %	195 ou 33.97 %

RURAL SECTION ELIM 8th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 487

MALARIA	TYPHOID	Decayed Teeth
333 ou 68.37 %	266 ou 54.62 %	286 ou 58.72%

RURAL SECTION GANDOU 4th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 508

MALARIA	TYPHOID	Decayed Teeth
345 ou 67.91%	233 ou 45.86 %	157 ou 30.90%

RURAL SECTION DOCO 6th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: 506

MALARIA	TYPHOID	Decayed Teeth
346 ou 68.37 %	256 ou %50.59	263 ou 51.97%

**GONAIVES OCTOBER 2004 - 6 JANUARY 2005
NUMBER OF PEOPLE SEEN MEDICALLY 5225**

**CENTER CITY OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 495**

MALARIA	TYPHOID	Decayed Teeth
349 or 70.50%	257 or 51.91%	211 or 42.62%

**RABOTEAU (CITY OF GONAIVES)
NUMBER OF PEOPLE SEEN MEDICALLY: 523**

MALARIA	TYPHOID	Decayed Teeth
327 or 62.52%	305 or 58.31%	301 or 57.55%

**RURAL SECTION PASSE RENE 2nd OF ENNERY
NUMBER OF PEOPLE SEEN MEDICALLY: 549**

MALARIA	TYPHOID	Decayed Teeth
303 or 55.19%	356 or 64.84%	290 or 52.82%

**RURAL SECTION ENNERY 1st OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 520**

MALARIA	TYPHOID	Decayed Teeth
417 or 80.19%	219 or 42.11%	338 or 65%

**RURAL SECTION DUBEDOU 4ht OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY 550**

MALARIA	TYPHOID	Decayed Teeth
351 or 63.81%	247 or 44.90%	437 or 79.45%

**RURAL SECTION BOGNOL 2nd OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 568**

MALARIA	TYPHOID	Decayed Teeth
324 or 57.04%	178 or 31.33%	236 or 41.54%

**RURAL SECTION ENNERY 1st OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 431**

MALARIA	TYPHOID	Decayed Teeth
68 or 19.95%	222 or 51.5%	242 or 56.14%

**RURAL SECTION FINEL 5ht OF GOINAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 497**

MALARIA	TYPHOID	Decayed Teeth
364 or 73.23%	255 or 51.30%	285 or 57.34%

**KASOLEY CITY OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 595**

MALARIA	TYPHOID	Decayed Teeth
457 or 76.80 %	196 or 32.94%	429 or 72.10%

**RURAL SECTION BOIS MARCHANT 1st OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 497**

MALARIA	TYPHOID	Decayed Teeth
292 or 58.72%	308 or 61.97%	395 or 79.47%

BAINET 2007

NUMBER OF PEOPLE SEEN MEDICALLY: **3847**

CITY BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: **459**

MALARIA	TYPHOID	Decayed Teeth
297 or 64.70%	205 or 44.66%	247 or 53.81%

9ht CHAUMEIL RURAL SECTION OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: **412**

MALARIA	TYPHOID	Decayed Teeth
225 or 54.61%	197 or 47.81%	384 or 93.20%

CITY BAINET CARMAGNOL

NUMBER OF PEOPLE SEEN MEDICALLY: **402**

MALARIA	TYPHOID	Decayed Teeth
204 or 50.74 %	231 or 57.46%	213 or 52.98%

RURAL SECTION DAMAS 5th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: **488**

MALARIA	TYPHOID	Decayed Teeth
360 or 73.77%	350 or 71.72%	390 or 79.91%

RURAL SECTION ELIM 8th OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: **502**

MALARIA	TYPHOID	Decayed Teeth
226 or 43.46	243 or 48.40%	329 or 65.53%

RURAL SECTION TONY 8ht OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: **466**

MALARIA	TYPHOID	Decayed Teeth
332 or 71.24 %	186 or 39.91%	126 or 27.03%

RURAL SECTION DOCO 6ht OF BAINET

NUMBER OF PEOPLE SEEN MEDICALLY: **528**

MALARIA	TYPHOID	Decayed Teeth
263 or 49.81 %	211 or 39.96%	314 or 59.46

RURAL SECTION MACIEUX 3nd SIDES OF IRON

NUMBER OF PEOPLE SEEN MEDICALLY: **590**

MALARIA	TYPHOID	Decayed Teeth
403 or 68.30 %	354 or 60%	351 or 59.49%

GONAIVES
AFTER THE PASSAGE OF HURRICANE
22 OCTOBER - 9 DECEMBER 2008
NUMBER OF PEOPLE SEEN MEDICALLY: 4042

CENTER CITY OF GONAIVES BIENAC
NUMBER OF PEOPLE SEEN MEDICALLY: 319

MALARIA	TYPHOID	Decayed Teeth
276 or 86.52%	198 or % 62.06	286 or 89.65%

RABOTEAU (CITY OF GONAIVES)
NUMBER OF PEOPLE SEEN MEDICALLY: 504

MALARIA	TYPHOID	Decayed Teeth
355 or or 70.43 %	242 or 48.01%	363 or 72.02%

RURAL SECTION PASSE RENE 2nd OF RURAL D'ENNERY
NUMBER OF PEOPLE SEEN MEDICALLY: 503

MALARIA	TYPHOID	Decayed Teeth
354 or 70.37 %	271 or 53.87 %	462 or 91.84 %

SECTION RURAL CHEMIN NEUF 3nd OF D'ENNERY
NUMBER OF PEOPLE SEEN MEDICALLY: 436

MALARIA	TYPHOID	Decayed Teeth
346 or 79.35%	307 or 75.61 %	359 or 88.42 %

TURAL SECTION DUBEDOU 4th OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 380

MALARIA	TYPHOID	Decayed Teeth
285 or 75 %	176 or 46.31 %	206 or 54.21 %

RURALE SECTION BOGNOL 2nd OF GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 470

MALARIA	TYPHOID	Decayed Teeth
308 or 65.53 %	320 or 68.08 %	305 or 64.89%

BERACA GONAIVES CENTER
NUMBER OF PEOPLE SEEN MEDICALLY: 501

MALARIA	TYPHOID	Decayed Teeth
306 or 61.07 %	268 or 53.49 %	464 or or 92.61 %

RURAL SECTION FINEL 4ht OF GOINAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 547

MALARIA	TYPHOID	Decayed Teeth
301 or 51.02 %	282 or 51.55%	353 or 64.53 %

NAZARENE CHURCH OF CENTER CITY GONAIVES
NUMBER OF PEOPLE SEEN MEDICALLY: 382

MALARIA	TYPHOID	Decayed Teeth
264 or 69.10 %	201 or 52.61%	304 or 79.58%

**MOBILE CLINIC
REALIZED AFTER
THE PASSAGE OF HURRICANE JULY 2008
NUMBER OF PEOPLE SEEN MEDICALLY: 2833**

**SECTION RURAL CARRE FOUR DENT 2nd PAILLANT
NUMBER OF PEOPLE SEEN MEDICALLY: 402**

MALARIA	TYPHOID	Decayed Teeth
402 or 71.14%	214 or 53.23%	308 or 76.61%

**RURAL SECTION MUSSOTTE 1st OF PAILLANT
NUMBER OF PEOPLE SEEN MEDICALLY: 518**

MALARIA	TYPHOID	Decayed Teeth
317 or 61.19 %	172 or 33.20%	329 or 63.57%

**RURAL SECTION PAPETTE 7th OF GRAND GOAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 582**

MALARIA	TYPHOID	Decayed Teeth
321 or 54.68 %	235 or 40.03 %	329 or 56.04 %

**RURAL SECTION CHALON 1st OF MIRAGOANE
NUMBER OF PEOPLE SEEN MEDICALLY: 366**

MALARIA	TYPHOID	Decayed Teeth
205 or 56.01%	146 or 39.89 %	266 or 72.67 %

**RURAL SECTION CARRE FOUR DUFORT 4th OF LEOGANE
NUMBER OF PEOPLE SEEN MEDICALLY: 561**

MALARIA	TYPHOID	Decayed Teeth
322 or 57.39 %	200 or 35.65 %	202 or 36 %

**CITY LEOGANE
NUMBER OF PEOPLE SEEN MEDICALLY: 399**

MALARIA	TYPHOID	Decayed Teeth
194 or 48.62 %	134 or 33.58 %	202 or 50.62 %

**MOBILE CLINICS CONDUCTED IN PORT-AU-PRINCE
AFTER EARTHQUAKE OF JANUARY 12, 2010
NUMBER OF PEOPLE SEEN MEDICALLY: 2765**

RUELLE BECCACINE

NUMBER OF PEOPLE SEEN MEDICALLY: 267

MALARIA	TYPHOID	Decayed Teeth
54 or 20.22%	78 or 29.21%	78 or 29.21%

FORT MERCREDI

NUMBER OF PEOPLE SEEN MEDICALLY: 235

MALARIA	TYPHOID	Decayed Teeth
56 or 23.82%	63 or 26.80%	62 or 26.38%

TI SOURCE 4th RURAL SECTION OF CARREFOUR

NUMBER OF PEOPLE SEEN MEDICALLY: 297

MALARIA	TYPHOID	Decayed Teeth
73 or 24.57%	91 or 30.63%	84 or 28.28%

COTES PLAGE

NUMBER OF PEOPLE SEEN MEDICALLY: 439

MALARIA	TYPHOID	Decayed Teeth
80 or 18.22%	186 or 42.36%	154 or 35.09%

MARTISSANT

NUMBER OF PEOPLE SEEN MEDICALLY: 445

MALARIA	TYPHOID	Decayed Teeth
58 or 13.03%	100 or 22.47 %	93 or 20.89 %

WANEY

NUMBER OF PEOPLE SEEN MEDICALLY: 585

MALARIA	TYPHOID	Decayed Teeth
112 or 19.14 %	222 or 37.94 %	124 or 21.19 %

CARREFOUR

NUMBER OF PEOPLE SEEN MEDICALLY: 495

MALARIA	TYPHOID	Decayed Teeth
68 or 13.73 %	156 or 31.51 %	141 or 28.48 %

LAGONAVE
NOVEMBER 2006 – APRIL 2007
NUMBER OF PEOPLE SEEN MEDICALLY: 4787

RURAL SECTION ANSE-A-GALET 1st OF LA GONAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 1426

MALARIA	TYPHOID	Decayed Teeth
641 or 44.95%	490 or 34.36%	488 or 34.22%

RURAL SECTION NAN MANGOT 2nd OF LA GONAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 592

MALARIA	TYPHOID	Decayed Teeth
256 or 43.24%	281 or 47.46%	234 or 39.52%

RURAL SECTION PLAINE MAPOU 3rd OF LA GONAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 459

MALARIA	TYPHOID	Decayed Teeth
277 or 60.34%	271 or 59.04%	167 or 36.38%

RURAL SECTION PICMY 10th OF LA GONAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 520

MALARIA	TYPHOID	Decayed Teeth
262 or 50.38%	281 or 54.03%	305 or 58.65%

RURAL SECTION POINT A RAQUETTE 9th OF LA GONAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 789

MALARIA	TYPHOID	Decayed Teeth
500 or 63.37%	472 or 59.82%	428 or 54.24%

RURAL SECTION TITANS 11th OF LA GONAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 469

MALARIA	TYPHOID	Decayed Teeth
103 or 21.96%	178 or 37.95%	319 or 68.91%

RURAL SECTION GRAND VIDE 7th OF LA GONAVE
NUMBER OF PEOPLE SEEN MEDICALLY: 532

MALARIA	TYPHOID	Decayed Teeth
285 or 53.57%	249 or 46.80%	286 or 53.75%

MOBILE CLINICS CONDUCTED IN CAP-HAITIEN JULY – OCTOBER 2009
NUMBER OF PEOPLE SEEN MEDICALLY: 2978

BLUE HILL'S
NUMBER OF PEOPLE SEEN MEDICALLY: 293

MALARIA	TYPHOID	Decayed Teeth
51 or 17.40 %	144 or 49.14 %	58 or 19.79 %

GRAND GILLES
NUMBER OF PEOPLE SEEN MEDICALLY: 257

MALARIA	TYPHOID	Decayed Teeth
66 or 25.68 %	84 or 32.68 %	78 or 30.35 %

CAP-HAITIEN STREET JOHN WESLEY
NUMBER OF PEOPLE SEEN MEDICALLY: 277

MALARIA	TYPHOID	Decayed Teeth
0 or 0 %	47 or 16.96 %	89 or 32.12 %

HAUT LIMBE
NUMBER OF PEOPLE SEEN MEDICALLY: 298

MALARIA	TYPHOID	Decayed Teeth
0 or 0 %	82 or 27.51 %	77 or 25.83 %

TOVAR
NUMBER OF PEOPLE SEEN MEDICALLY: 238

MALARIA	TYPHOID	Decayed Teeth
0 or 0 %	77 or 32.35 %	71 or 29.83 %

GRAND RAVINE
NUMBER OF PEOPLE SEEN MEDICALLY: 239

MALARIA	TYPHOID	Decayed Teeth
29 or 12.13 %	21 or 8.78 %	97 or 40.58 %

BAS LIMBE
NUMBER OF PEOPLE SEEN MEDICALLY: 443

MALARIA	TYPHOID	DECAYED TEETH
95 or 21.44 %	193 or 43.56 %	155 or 34.98 %

RIVIERRE SALEE
NUMBER OF PEOPLE SEEN MEDICALLY: 299

MALARIA	TYPHOID	Decayed Teeth
79 or 26.42 %	142 or 47.49 %	133 or 44.48 %

BORY
NUMBER OF PEOPLE SEEN MEDICALLY: 210

MALARIA	TYPHOID	Decayed Teeth
71 or 35.90 %	158 or 75.23 %	99 or 47.14 %

NORMAND
NUMBER OF PEOPLE SEEN MEDICALLY: 212

MALARIA	TYPHOID	Decayed Teeth
70 or 34 %	138 or 6.09 %	105 or 49.52 %

HAUT LIMBE
NUMBER OF PEOPLE SEEN MEDICALLY: 212

MALARIA	TYPHOID	Decayed Teeth
30 or 14.15 %	75 or 35.37 %	89 or 41.98 %

Where there are health centers in an amount almost sufficient rates of infectious diseases decline significantly. Hence the best prevention is to systematically diagnose illnesses and to treat them well by cutting the chains of transmission

Dr. Denis Cyrille
Responsible medical personnel traveling
COMENAH